



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS P.O. Box 1450 Alexandra, Vignia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/965,406	09/26/2001	Peter G. Hebgen	SP01-274	SP01-274 3786	
22928	7590 05/22/2003				
CORNING INCORPORATED SP-TI-3-1			EXAMINER		
CORNING, N	VY 14831		SUCHECKI, I	SUCHECKI, KRYSTYNA	
			ART UNIT	PAPER NUMBER	
			2882		
			DATE MAILED: 05/22/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Amplication N		m
		Application No.	Applicant(s)	,
Office Action Summan		09/965,406	HEBGEN ET AL.	
	Office Action Summary	Examiner	Art Unit	
	The MAN INC DATE AND	Krystyna Suchecki	2882	
Period for	The MAILING DATE of this communication ap Reply	ppears on the cover sheet w	ith the correspondence addres	s
THE M - Extens after SI - If the p - If NO p - Failure - Any rep	RTENED STATUTORY PERIOD FOR REP AILING DATE OF THIS COMMUNICATION ions of time may be available under the provisions of 37 CFR 1 (X (6) MONTHS from the mailing date of this communication. eriod for reply specified above is less than thirty (30) days, a re eriod for reply is specified above, the maximum statutory period to reply within the set or extended period for reply will, by statuoly received by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a r ply within the statutory minimum of thir d will apply and will expire SIX (6) MON to cause the application to become AE	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this commun	nication.
1) 🗌	Responsive to communication(s) filed on	·		
2a) <u></u> □	This action is FINAL . 2b)⊠ T	his action is non-final.		•
,	Since this application is in condition for allov closed in accordance with the practice unde n of Claims	vance except for formal mat r <i>Ex parte Quayle</i> , 1935 C.I	ters, prosecution as to the me D. 11, 453 O.G. 213.	erits is
4)⊠ C	claim(s) <u>1-34</u> is/are pending in the application	n.		
	a) Of the above claim(s) is/are withdra			
	claim(s) is/are allowed.			
6)⊠ C	claim(s) <u>1-34</u> is/are rejected.			
	laim(s) <u>19, 31</u> is/are objected to.	•		
	laim(s) are subject to restriction and/	or election requirement		
Application	n Papers	- voquiomonia		
9)⊠ Th	ne specification is objected to by the Examin	er.		
10)⊠ Th	e drawing(s) filed on <u>26 Se<i>ptember 2001</i></u> is/	are: a)⊠ accepted or b)⊡ o	bjected to by the Examiner.	
	Applicant may not request that any objection to th			
	e proposed drawing correction filed on			
	If approved, corrected drawings are required in re			
12)∐ Th	e oath or declaration is objected to by the Ex	kaminer.		
Priority und	der 35 U.S.C. §§ 119 and 120			
13) 🗌 A	cknowledgment is made of a claim for foreig	n priority under 35 U.S.C. §	119(a)-(d) or (f).	
	All b)☐ Some * c)☐ None of:	•	(, (,	
1.	☐ Certified copies of the priority documen	ts have been received.		
2.	☐ Certified copies of the priority document		oplication No.	
	Copies of the certified copies of the price application from the International Bue the attached detailed Office action for a list	rity documents have been i	received in this National Stage)
	nowledgment is made of a claim for domest			cation)
a) [The translation of the foreign language promoved the translation of the foreign language promoved the foreign language.	ovisional application has be	en received.	cation).
Attachment(s)		•		
2) Notice of 3) Informati	f References Cited (PTO-892) f Draftsperson's Patent Drawing Review (PTO-948) on Disclosure Statement(s) (PTO-1449) Paper No(s) 2	5) Notice of In	ummary (PTO-413) Paper No(s) formal Patent Application (PTO-152)	·
Patent and Trader O-326 (Rev. 0		ction Summary	Part of Paper	No. 3

Art Unit: 2882

DETAILED ACTION

Specification

The disclosure is objected to because of the following informalities: Page 16 references 1. three segment designs in line 13, but four are taught and listed in Table 1. Appropriate correction is required.

Claim Objections

Claims 19 and 31 are objected to because of the following informalities: Claim 19 2. references "a pin array of less than 7dB". Pin arrays are generally described in terms of their pin spacing, but, if the array is intended to induce a specific dB loss, wording must be present to indicate this and allow adequate comparison of the array to other art devices. Claim 31 is objected to for a typographical error with the use of "a an outer radius". Appropriate correction is required.

Double Patenting

- The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982), In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).
- A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to 4. overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).
- Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).
- Claims 1-2, 4-24 and 29-34 are provisionally rejected under the judicially created 6. doctrine of obviousness-type double patenting as being unpatentable over claims 2-3, 5-25, 31-

Art Unit: 2882

33 and 35-37 of copending Application No. 10/238100. Although the conflicting claims are not identical, they are not patentably distinct from each other because the ranges claimed are so close, there is no patentable distinction between the claims. Claim 2 of the copending case is a subset of claim 1, and the combination creates a copy of claim 1 of the present application. This is evidence that there is no patentable distinction between applications.

- This is a provisional obviousness-type double patenting rejection because the conflicting 7. claims have not in fact been patented.
- Claims 1-2, 4-24 and 29-34 of this application conflict with claims 2-3, 5-25, 31-33 and 8. 35-37 of Application No. 10/238100. 37 CFR 1.78(b) provides that when two or more applications filed by the same applicant contain conflicting claims, elimination of such claims from all but one application may be required in the absence of good and sufficient reason for their retention during pendency in more than one application. Applicant is required to either cancel the conflicting claims from all but one application or maintain a clear line of demarcation between the applications. See MPEP § 822.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the 9. basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 10. Claims 1, 4-15, 17-19, 23-25 and 27-34 are rejected under 35 U.S.C. 102(e) as being anticipated by Gruner-Nielsen (US 6,490,398).

Application/Control Number: 09/965,406 Page 4

Art Unit: 2882

Regarding Claim 1, Gruner-Nielsen teaches a dispersion compensating optical fiber, comprising: a segmented core having at least three segments, the refractive index profile being selected to provide total dispersion at 1595 nm between about -95 ps/nm-km and -225 ps/nm-km; and a dispersion slope more negative than -1.0 ps/nm^2 -km at 1595 nm (Figure 4 and Column 8, Fiber C).

- 12. Regarding Claim 4, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 wherein at least one of the segments has an alpha-profile where alpha is between about 2.0 and 2.2 (Table Column 9).
- Regarding Claim 5, Gruner-Nielsen teaches the dispersion compensating optical fiber claim 1 wherein Delta_1% (now referred to as A1%) is positive, Delta_2% (now referred to as A2%) is negative, and Delta_3% (now referred to as A3%) is positive (Table of Column 9).
- Regarding Claim 6, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 5 further comprising a central core segment having a positive A1% greater than 1.5%, a most segment adjoining the central core segment and having a negative A2% more negative than -0.4%, and a ring segment adjoining the most segment having a positive A3% greater than 0.7% (Table of Column 9).
- 15. Regarding Claim 7, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 5 wherein a volume of the central core segment is in the range of about 9 units and 11 units, and a volume of the ring segment is in the range of about 40 units to 47 units (Table of Column 9 and Column 6, lines 58-61).
- 16. Regarding Claim 8, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising: a central core segment having a A1% in the range of about 1.5% to

Art Unit: 2882

2.0% and a radius R1, in the range of about 1.5 um to 2.0 um, a moat segment having a A2% in the range of about -0.3% to -0.9% and a radius R2 in the range of about 4.5 um to 6.5 um, and a ring segment having a A3% in the range of about 0.6% to 1.1%, a mid point radius R3 in the range of about 6.0 um to 8.0 um (Tables of Columns 8 and 9 and Claim 2).

- 17. Regarding Claim 9, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising: a central core segment having a positive A1% greater than 1.7%, a moat segment adjoining the central core segment having a negative A2% more negative than 0.5%, and a ring segment adjoining the moat segment having a positive A3% greater than 0.8% (Table of Column 9).
- 18. Regarding Claim 10, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising a volume of the ring segment greater than about 40 units (Table of Column 9 and Column 6, lines 58-61).
- 19. Regarding Claim 11, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising a ring segment having A3% of greater than 0.7% (Table of Column 9).
- 20. Regarding Claim 12, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 11 further comprising a A3% of the ring segment between 0.7% and 1.0% and a midpoint radius R3 between 6.5 pm and 8.0 um (Tables of Columns 8 and 9 and Claim 2).
- Regarding Claim 13, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising a central core segment having a A1% in the range of about 1.7% to 1.9% and a radius R1, in the range of between about 1.7 um to 1.9 um, a moat segment having a A2% in the range of about -0.5% to -0.7% and an radius R2 of between 5.0 um and 6.0 um, and a

Art Unit: 2882

ring segment having a A3% in the range of about 0.75% to 0.9%, a midpoint radius R3 in the range of about 6.5 um to 8.0 um, and a width in the range of about 0.7 um to 1.2 um (Tables of Columns 8 and 9 and Claim 2).

- 22. Regarding Claim 14, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further including a kappa value defined as the dispersion at 1595 nm divided by the dispersion slope at 1595 nm of between 90 nm and 110 nm (Table Column 8).
- 23. Regarding Claim 15, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further including a kappa value defined as the dispersion at 1595 nm divided by the dispersion slope at 1595 nm of between 90 nm and 105 nm (Column 8).
- 24. Regarding Claim 17, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising a range of kappa values defined as the dispersion at a particular wavelength divided by the dispersion slope at the particular wavelength over the range of 1570 nn to 1620 nm of between 80 nm to 155 nm (Column 8).
- 25. Regarding Claim 18, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 17 further comprising a range of kappa values defined as the dispersion at a particular wavelength divided by the dispersion slope at the particular wavelength over the range of 1570 nm to 1620 nm of between 85 nm to 110 nm (Column 8).
- 26. Regarding Claim 19, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising a pin array of less than 7 dB at 1595 nm (Column 5, lines 34-40).
- 27. Regarding Claim 23, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising an dispersion slope over the wavelength range of between about 1570 nm and 1620 nm of between -0.7 ps/nm^2 -km and -2.5 ps/nm^2 -km (Column 8).

Art Unit: 2882

- Regarding Claim 24, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 23 further comprising an dispersion slope over the wavelength range of between about 1570 nm and 1620 nm of between -1.0 ps/nm^2 -km and -1.8 ps/nm^2 -km (Column 8).
- 29. Regarding Claim 25, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising an dispersion slope at 1595 nm of between -1.0 ps/nm² -km and -2.5 ps/nm² -km (Column 8).
- Regarding Claim 27, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising an dispersion slope at 1595 nm more negative than -1.2 ps/nm^2 -km (Column 8).
- Regarding Claim 28, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising dispersion slope that is more negative than -0.7 ps/nm^2 -km over the entire L-band from 1570 nm to 1620 nm (Column 8 and Figure 4).
- 32. Regarding Claim 29, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 28 further comprising a dispersion slope that is more negative than -1.2 ps/nm² -km over the entire L-band from 1570 nm to 1620 nm (Column 8 and Figure 4).
- Regarding Claim 30, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 1 further comprising: a central core segment having an outer radius R1, in the range of between about 1.5 um and 2.0 um, a moat segment having an outer radius R2 in the range of between about 4.5 um and 6.5 um, and a ring segment having a midpoint radius R3 in the range of between about 6.0 um to 8.0 um (Table Column 9).

Art Unit: 2882

Regarding Claim 31, Gruner-Nielsen teaches the dispersion compensating optical fiber of claim 30 further comprising an outer radius R4 of the ring segment in the range of between about 10 um and 12 um (Table Column 9 and Claim 2).

- 35. Regarding Claim 32, Gruner-Nielsen teaches an optical transmission system having a dispersion compensating optical fiber, wherein the dispersion compensating fiber comprises: a segmented core having at least three segments, the refractive index profile being selected to provide total dispersion at 1595 nm between about -95 ps/nm-km and -225 ps/nm-km; and a dispersion slope more negative than -1.0 ps/nm² –km at 1595 nm (Figure 4 and Column 8).
- Regarding Claims 33-34, Gruner-Nielsen teaches the optical transmission system of claim 32 further comprising a non-zero dispersion shifted fiber coupled to the dispersion compensating fiber, understood to include nonzero dispersion shifted fibers having a dispersion slope of between about 0.065 and 0.08 ps/nm^2 –km at 1595 nm and wherein the non-zero dispersion shifted fiber has a dispersion of between about 6.5 and 8.5 ps/nm-km at 1595 nm (Column 5 lines 41-65 and Figure 7).
- 37. Claims 1-3, 16, 20-22, and 26 are rejected under 35 U.S.C. 102(e) as being anticipated by Okuno (US 6,501,892).
- 38. Regarding Claim 1, Okuno teaches a dispersion compensating optical fiber, comprising: a segmented core having at least three segments, the refractive index profile being selected to provide total dispersion at 1595 nm between about -95 ps/nm-km and -225 ps/nm-km; and a dispersion slope more negative than -1.0 ps/nm^2 -km at 1595 nm (Figure 10, C100).

Art Unit: 2882

- 39. Regarding Claim 2, Okuno teaches the dispersion compensating optical fiber of claim 1 wherein the total dispersion at 1595 nm is between about -110 ps/nm-km and -150 ps/nm-km (Figure 10, C100).
- 40. Regarding Claim 3, Okuno teaches the dispersion compensating optical fiber of claim 1 wherein the total dispersion is between about -80 ps/nm-km and -190 ps/nm-km over a wavelength range from about 1570 nm to 1620 nm (Figure 10, C100).
- 41. Regarding Claim 16, Okuno teaches the dispersion compensating optical fiber of claim 1 further including a kappa value defined as the dispersion at 1595 nm divided by the dispersion slope at 1595 nm of between 95 nm and 100 nm (Figure 10, C100).
- 42. Regarding Claim 20, Okuno teaches the dispersion compensating optical fiber of claim 1 further comprising a cutoff wavelength for a next higher order mode above LP01, the cutoff wavelength being less than 2025 nm (Third Embodiment).
- 43. Regarding Claim 21, Okuno teaches the dispersion compensating optical fiber of claim 1 further comprising an effective area at 1595 nm of greater than 15 um² (Figures 18A-18B).
- 44. Regarding Claim 22, Okuno teaches the dispersion compensating optical fiber of claim 21 further comprising an effective area at 1595 nm of greater than 17 um² (Figures 18A-18B).
- 45. Regarding Claim 26, Okuno teaches the dispersion compensating optical fiber of claim 1 further comprising an dispersion slope at 1595 nm of between -1.2 ps/nm^2 -km and -1.5 ps/nm^2 -km (Figure 9).

Art Unit: 2882

Conclusion

46. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Krystyna Suchecki whose telephone number is (703) 305-5424. The examiner can normally be reached on M-F 8-6, with alternating Fridays off.

- 47. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (703) 305-3492. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9318 for regular communications and (703) 872-9319 for After Final communications.
- 48. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-4900.

ks May 6, 2003

SUTTO TO THE PARTY OF THE PARTY

Page 10